



SWISS PRINT

Highest quality uv printing that ever happen on glass



BSG GLASS

SWISS PRINT

Highest quality uv printing that ever happen on glass







"Swiss Print Glass" helps enhance colorfulness, remarkable beauty and uniqueness of glasses used for interior decoration or dividing dry areas without sun exposure. Being made from laminated safety glasses with images or graphic patterns that are printed with highest resolution up to 2160 dpi by UV printing technology from Europe, Swiss Print's continuous colors are perfectly sharp as if color photos. With safety feature in the event of breaking, Swiss Print can be used as wall panel, door, furniture and decorative item at the areas that require color sharpness or special designed patterns.

กระจก "สวิส ปริ้นท์" ถูกออกแบบให้ช่วยเพิ่มสีสัน ความสวยงาม ความโดดเด่น และมีเอกลักษณ์ ให้กับงานกระจกสำหรับออกแบบตกแต่ง และแบ่งพื้นที่การใช้สอยภายในอาคาร ในบริเวณที่ไม่มีความเปียกชื้น และไม่โดนแสงแดดจัด ด้วยการพิมพ์ภาพ และลวดลายกราฟิก ลงในกระจกนิรภัยลามิเนต ที่ใช้เทคโนโลยีการพิมพ์ระบบ UV จากยุโรป มีความละเอียดสูงถึง 2160 dpi จึงให้สีสันที่ต่อเนื่อง และความคมชัดสมจริงระดับภาพถ่าย รวมถึงมีความปลอดภัยสูง เมื่อเกิดการแตกร้าว จึงสามารถนำไปใช้งานเป็น ผนังกันห้อง บานประตู เพอร์นิเจอร์ และงานตกแต่งในส่วนที่ต้องการความคมชัดของสี หรือลวดลาย เป็นพิเศษ

FEATURES /ลักษณะพิเศษ

- Technology reaches from Europe
- High Resolution 2160 dpi image processing
- Provides smooth and accurate color shade with no grain and dot
- Adjustable and flexible for every image and pattern works
- Interior design space allocation
- เทคโนโลยีจากยุโรป
- ความละเอียดสูง 2160 dpi
- กระจกมีความคมชัดสูงและมีความต่อเนื่อง ไม่เป็นเกรน หรือจุด
- ปรับเปลี่ยนสีและลวดลายได้ตามต้องการ
- สำหรับใช้ภายในอาคาร

BSG GLASS SIGNATURE COLLECTION

STRIPE SERIES

Soft touch of textile












Zebra Wish (MX)
Laminated : 890./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 1230./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Zebra Wish (MX)
Laminated : 890./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 1230./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Zebra Wish (MD)
Laminated : 890./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 1230./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Twilight (MD)
Laminated : 890./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 1230./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Light Heaven (MX)
Laminated : 890./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 1230./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Tender Rich (MD)
Laminated : 890./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 1230./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Gold Mystery (MD)
Laminated : 890./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 1230./sqft
Thickness 4+4 mm. Max. 1590 x 3600




SCOTCH SERIES

Weaving the patterns







Scotch-FP.White-2
TE Laminated : 890./sqft
Thickness 4+5 mm. Max. 1590 x 3600




Scotch-C.Brown
Laminated : 820./sqft
Thickness 4+4 mm. Max. 1590 x 3600
TE Laminated : 1200./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Scotch-P.Brown
Laminated : 850./sqft
Thickness 4+5 mm. Max. 1590 x 3600
TE Laminated : 1040./sqft
Thickness 4+5 mm. Max. 1590 x 3600




Scotch-C.White
Laminated : 820./sqft
Thickness 4+4 mm. Max. 1590 x 3600
TE Laminated : 1200./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Scotch-P.White
Laminated : 850./sqft
Thickness 4+5 mm. Max. 1590 x 3600
TE Laminated : 1040./sqft
Thickness 4+5 mm. Max. 1590 x 3600




Scotch-C.Dark
Laminated : 820./sqft
Thickness 4+4 mm. Max. 1590 x 3600
TE Laminated : 1200./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Scotch-P.Dark
Laminated : 850./sqft
Thickness 4+5 mm. Max. 1590 x 3600
TE Laminated : 1040./sqft
Thickness 4+5 mm. Max. 1590 x 3600




Scotch-FPS.Brown-2
TE Laminated : 990./sqft
Thickness 4+5 mm. Max. 1590 x 3600




Scotch-FPS.White-2
TE Laminated : 990./sqft
Thickness 4+5 mm. Max. 1590 x 3600




Scotch-FP.Brown-2
TE Laminated : 850./sqft
Thickness 4+5 mm. Max. 1590 x 3600




Scotch-FPS.Dark-2
TE Laminated : 890./sqft
Thickness 4+5 mm. Max. 1590 x 3600




Scotch-FP.Dark-2
TE Laminated : 820./sqft
Thickness 4+5 mm. Max. 1590 x 3600



Scotch-FPS.Cream-2
TE Laminated : 890./sqft
Thickness 4+5 mm. Max. 1590 x 3600



Scotch-FP.Cream-2
TE Laminated : 850./sqft
Thickness 4+5 mm. Max. 1590 x 3600



RUST SERIES

Imperfect but Best








Rust_2W_Blue_Lagoon

Laminated : 750./sqft
Thickness 3+6 mm. Max. 1590 x 3600
TE Laminated : 1070./sqft
Thickness 4+6 mm. Max. 1590 x 3600




Rust_2W_Twilight

Laminated : 750./sqft
Thickness 3+6 mm. Max. 1590 x 3600
TE Laminated : 1070./sqft
Thickness 4+6 mm. Max. 1590 x 3600




Rust_2W_Sunrise

Laminated : 750./sqft
Thickness 3+6 mm. Max. 1590 x 3600
TE Laminated : 1070./sqft
Thickness 4+6 mm. Max. 1590 x 3600



Rust_2W_Dusky

Laminated : 750./sqft
Thickness 3+6 mm. Max. 1590 x 3600
TE Laminated : 1070./sqft
Thickness 4+6 mm. Max. 1590 x 3600



Rust_2W_Shadowy


Laminated : 750./sqft
Thickness 3+6 mm. Max. 1590 x 3600
TE Laminated : 1070./sqft
Thickness 4+6 mm. Max. 1590 x 3600

**Rust_M_Shadowy**


Laminated : 590./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 935./sqft
 Thickness 4+5 mm. Max. 1590 x 3600

**Rust_M_Twilight**

Laminated : 590./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 935./sqft
 Thickness 4+5 mm. Max. 1590 x 3600

**Rust_M_Sunrise**

Laminated : 590./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 935./sqft
 Thickness 4+5 mm. Max. 1590 x 3600

**Rust_M_Dusky**

Laminated : 590./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 935./sqft
 Thickness 4+5 mm. Max. 1590 x 3600


**Rust_M_Blue_Lagoon**

Laminated : 590./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 935./sqft
 Thickness 4+5 mm. Max. 1590 x 3600

An abstract graphic on the left side of the page, featuring a mountain peak composed of various shades of gray triangles. The peak is centered vertically and horizontally within the left half of the image.

NATURAL SERIES

Reconnect to nature







**Mulberry Paper 01**

Laminated : 750./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 1090./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Bai Pho 01**

Laminated : 790./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 1135./sqft
 Thickness 4+5 mm. Max. 1590 x 3600

**Rubber Leaf 01 (ใบ)**

Laminated : 990./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 1330./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Rubber Leaf 03**

Laminated : 790./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 1135./sqft
 Thickness 4+5 mm. Max. 1590 x 3600

**Rubber Leaf 04**

Laminated : 990./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 1335./sqft
 Thickness 4+5 mm. Max. 1590 x 3600

**Fern 01**

Laminated : 990./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 1330./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Fern 02**

Laminated : 990./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 1330./sqft
 Thickness 4+4 mm. Max. 1590 x 3600



MARBLE SERIES

Bring Marble to your glass









Travertine 01
 Laminated : 650./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 970./sqft
 Thickness 4+4 mm. Max. 1590 x 3600



Supergenti 01
 Laminated : 990./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 1330./sqft
 Thickness 4+4 mm. Max. 1590 x 3600



Rainforest 01
 Laminated : 660./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 1005./sqft
 Thickness 4+5 mm. Max. 1590 x 3600




White carrara
 Laminated : 750./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 1090./sqft
 Thickness 4+4 mm. Max. 1590 x 3600



Black tourmaline
 Laminated : 750./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 1090./sqft
 Thickness 4+4 mm. Max. 1590 x 3600



Seamless white
 Laminated : 750./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 1090./sqft
 Thickness 4+4 mm. Max. 1590 x 3600



Green Onyx
 Laminated : 990./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 1330./sqft
 Thickness 4+4 mm. Max. 1590 x 3600



VESTA SERIES

The Infinite Depth










Peach Leda
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Clear Leda
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Rock Leda
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Sugar Leda
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.




Rose Leda
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

LEDA



Dark Leda
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Wood Leda
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.




Gold Leda
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.




Clear Thar
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Rock Thar
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.




Sugar Thar
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.




Rose Thar
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.




Gold Thar
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Peach Thar
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Wood Thar
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Dark Thar
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.


THAR

**Clear Metis**


TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Rock Metis**


TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Sugar Metis**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.


**Rose Metis**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Peach Metis**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.


METIS

**Dark Metis**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Wood Metis**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Gold Metis**


TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.




Clear Gibson
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Rock Gibson
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.




Sugar Gibson
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Rose Gibson
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.




Dark Gibson
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Peach Gibson
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Gold Gibson
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Wood Gibson
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

GIBSON

**Clear Draco**

TE Laminated : 990./sqft

Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Rock Draco**

TE Laminated : 990./sqft

Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Suagr Draco**

TE Laminated : 990./sqft

Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Rose Draco**

TE Laminated : 990./sqft


Thickness 4+3 mm. Max. 1590 x 3200 mm.

Peach Draco

TE Laminated : 990./sqft

Thickness 4+3 mm. Max. 1590 x 3200 mm.

DRACO


**Dark Draco**

TE Laminated : 990./sqft

Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Wood Draco**

TE Laminated : 990./sqft

Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Gold Draco**

TE Laminated : 990./sqft

Thickness 4+3 mm. Max. 1590 x 3200 mm.



Clear Sandy
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Rock Sandy
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Sugar Sandy
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Peach Sandy
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Rose Sandy
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Gold Sandy
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Wood Sandy
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Dark Sandy
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

SANDY

**Wood Wayer**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Clear Wayer**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Rock Wayer**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Sugar Wayer**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Rose Wayer**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

WAYER


**Dark Wayer**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Gold Wayer**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Peach Wayer**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Clear Riva
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.




Rock Riva
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Sugar Riva
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Rose Riva
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Dark Riva
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Peach Riva
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Gold Riva
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



Wood Riva
TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.


RIVA

**Rock Vector**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Clear Vector**


TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Sugar Vector**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.


**Rose Vector**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.


**Peach Vector**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.


VECTOR


**Dark Vector**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Wood Vector**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.

**Gold Vector**

TE Laminated : 990./sqft
Thickness 4+3 mm. Max. 1590 x 3200 mm.



SEAMLESS LACE SERIES

Mild sense of paper







Available Colors



White

Rock


Rose

Gold

Peach


Sugar

Dark







Xander
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Savion
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Lex
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Jareth
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Arcade
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200


Seamless Lace




Aden
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Bali
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Caz
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Mal
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Paco
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Page
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Pamina
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Pamela
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Pallas
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Pakwa
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Panya
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Pablo
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Pam
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Lana
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Ladon
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Laila
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Lalita
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Kadia
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Kala
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Falon
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Farah
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Farren
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Fay
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Raina
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Ranita
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Ray
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Remi
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Jady
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Jala
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Jane
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Jeena
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Nell
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Nava
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Nancie
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Norma
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Bane
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Basha
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Baylee
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Becky
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Beda
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Bela
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Ida
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Imani
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Inis
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200




Isaac
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Maat
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Madina
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Mahta
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200



Mahtalace
Laminated : 390./sqft
Thickness 3+3 mm. Max. 1590 x 3200

THEME COLLECTION

JAPANESE






Sagano

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Tsubaki

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Sakura

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Ume

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Fuji

Laminated : 650./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 970./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Kiku

Laminated : 650./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 970./sqft
Thickness 4+4 mm. Max. 1590 x 3600

CHINESE




**Tea horse**

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Great wall**

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Silk road**


Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Imperial**

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Summer Palace**


Laminated : 650./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 970./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Fujian**


Laminated : 650./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 970./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

THAI



**Kranok**

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Kra-chang**

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Prajam Yam**


Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Phoom Kao Bint**

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600


**Khon**

Laminated : 650./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 970./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Pudtarn**

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

MOROCCAN



**Balgha**


Laminated : 650./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 970./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Djellaba**

Laminated : 650./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 970./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Casablanca**


Laminated : 650./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 970./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Takchita**

Laminated : 650./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 970./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Kaftan**

Laminated : 650./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 970./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Antelope canyon**


Laminated : 650./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 970./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

SCANDINAVIAN







Mistfall
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Cape finnmark
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Svalbard
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Oslo
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Hemsedal
Laminated : 650./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 970./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Aurora
Laminated : 650./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 970./sqft
Thickness 4+4 mm. Max. 1590 x 3600

*ตัวอย่างสี บนกระดาษขาว และการวัดความหนาของลาย ไม่เคลือบผิว เป็นตัวอย่างแนวทางการออกแบบเท่านั้น อาจแตกต่างจากสินค้าจริง เนื่องจากระบบการพิมพ์ ไม่สอดคล้องกับความเป็นจริง
Please note that, owing to limitations of print representation, graphic's color, proportion and layout in catalog may differ from those shown. Please, contact Glass Advisor for glass sample.

VICTORIAN




**Roseberry**


Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Salisbury**

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Astley**

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Derby**

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

**Britannica**

Laminated : 650./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 970./sqft
 Thickness 4+4 mm. Max. 1590 x 3600


**Victoria**

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

GRAPHIC COLLECTION




NATURAL




Truly Daisy

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Mistassini

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Atlin

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Smallwood

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Nature Trail

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Secret Winter

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Summer Passion


Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Spring Waltz

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600

ORIENTAL




Tongtain
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Jinsha
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Lancang
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Songhua
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Ussuri
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Mandarin
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Jingshan
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Potara
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600


GEOMATRIC




Eingstein
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Newton
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Maria
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Thomas
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Isacc
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Albert
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Nikola
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Louis
Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600

FUSION




Terrestrial

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600




Drake

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600



Galactic

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600



Milky Way

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600




Nebula

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600




Orion Spur

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600



Perseus


Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600



Scutum

Laminated : 550./sqft
 Thickness 3+3 mm. Max. 1590 x 3600
 TE Laminated : 870./sqft
 Thickness 4+4 mm. Max. 1590 x 3600

ABSTRACT




Bonan

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Portrait

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Florence

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Ettore

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Firenze

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Pucci

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Memphis

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Filippo

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600

GRAPHIC



Alice

Laminated : 650./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 970./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Gryphon

Laminated : 650./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 970./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Balcony

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600




City bay

Laminated : 650./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 970./sqft
Thickness 4+4 mm. Max. 1590 x 3600




Continental

Laminated : 650./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 970./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Blackpearl

Laminated : 650./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 970./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Sparrow

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



The legend

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



Court

Laminated : 550./sqft
Thickness 3+3 mm. Max. 1590 x 3600
TE Laminated : 870./sqft
Thickness 4+4 mm. Max. 1590 x 3600



REFERENCE



Movenpick Siam Hotel Pattaya



Pattaya, Sattahip, Chonburi





Bangkok Bank Central Embassy



Patthum Wan, Bangkok



Krungsri Bank Phloenchit

 Pathum Wan, Bangkok





Mori Haus

 Watthana, Bangkok





Grande Centre Point Sukhumvit 55



Watthana, Bangkok



King Power Rangnam




Ratchathewi, Bangkok



Hong Bao Central Embassy



Pathum Wan, Bangkok



Lancaster Bangkok Hotel



Huai Khwang, Bangkok



The Okura Prestige Bangkok



Pathum Wan, Bangkok



www.bsgglass.com

Bangkok Sale Office:

21/24-25 Sathorn Business Park.,

Krungthonburi Rd., Klongtong Sai Klongsan Bangkok 10600 Thailand

TEL. +662-862-0311 FAX. +662-862-0312-4

e-mail : info@bsgglass.com